



---

## Handling of container seal

---

March 2013

**UNICO** UNICO LOGISTICS

## Type of seal

According to the Russia Customs regulation, following HIGH SECURITY SEAL must be used for the containerized shipment. Other type of seal are not allowed to use.




*Sample of High Security (bolt) Seal*

## Correct position of seal

It is compulsory that the seal is fixed on the container right door ,left handle.

Please refer the sample photos. <Sample-1>



Correct position

RIGHT door LEFT handle

## Correct position of seal

It is compulsory that the seal is fixed on the container right door ,left handle.

Please refer the sample photos. <Sample-2 & 3>



Correct position



RIGHT door LEFT handle

RIGHT door LEFT handle

## Door Management

The container door must be closed properly with 4 locking bars



**Seal position**

When locking the door, lock door cam must be closed completely.

**Lock door cam**



## How to describe the serial number of seal

Company Name ,Alphabets and Serial No. which are at the head of ones must be reported correctly. In below case,all document must be shown on the seal No. as **Transcontainer TC36238**



Failure to comply with the above provisions is considered to be a breach of regulations of Russian Railways and Russian Customs legislation and results in extra charges for additional seals, Customs Inspection, and consequently delay of container dispatch.

**Your Cooperation in this matter will ensure  
trouble free dispatch of your cargo.**